Material Overview

2020

NO BOUNDARIES

BUZZI SPACE

www.buzzi.space

UPHOLSTERY
FELTS, FABRICS & LEATHER

311 - 325 Application overview

326 - 330 Felt
326 BuzziFelt
327 Sliced BuzziFelt
330 BuzziFelt Printed

331 - 334 Category A
331 Fabric
332 Trevira CS+
333 Trevira CS
334 Revive 1

335 - 338 Category B
335 Clara 2
336 Remix 3
338 Velvet

339 Category C
339 Hero

340 Category D
340 Tonus 4

341 Category E
341 Memory 2

342 Leather
342 Vegetal
342 Vintage

APPLICATION OVERVIEW

Felts, Fabrics & Leather

○ Not possible
● Possible
◉ Sliced BuzziFelt

Product		Felt	Felt Printed	Leather		CAT A			
				Vegetal	Vintage	Fabric	Trevira CS+*	Trevira CS*	Revive 1**
		100% Recycl P.E.T. Felt	100% Recycl P.E.T. Felt	100% Leather	100% Leather	75% Recycled Wool 25% Recycled Polyacryl	100% Trevira	100% Trevira	100% Recycl. polyester FR
BuzziBack		●	○	○	○	●	●	●	●
BuzziBalance		○	○	○	○	●	●	●	●
BuzziBell		●	○	○	○	○	○	○	○
BuzziBlinds Classic		●	●	○	○	●	●	●	●
BuzziBlinds	Plain	●	●	○	○	●	●	●	●
	Lines	●	○	○	○	○	○	○	○
BuzziBlox		○	○	○	○	●	●	●	●
BuzziBoard		●	○	○	○	○	○	○	○
BuzziBooth	Single	○	○	○	○	●	●	○	○
	Standing	○	○	○	○	●	●	○	○
BuzziBooth Screen	Single	○	○	○	○	●	●	●	●
	Double	○	○	○	○	●	●	○	○
BuzziBooth Targa	H 120	○	○	○	○	●	●	●	●
	H 135	○	○	○	○	●	●	○	○
BuzziBounce		○	○	○	○	●	●	●	●
BuzziBox		●	○	○	○	○	○	○	○
BuzziBox Travel		●	○	○	○	○	○	○	○
BuzziBrickBack		◉	○	○	○	○	○	○	○
BuzziBrickBack Architectural		◉	○	○	○	○	○	○	○
BuzziCactus		○	○	○	○	●	●	●	○
BuzziCane		○	○	○	○	●	●	●	●
BuzziChandelier		●	○	○	○	○	○	○	○
BuzziClipse		○	○	○	○	●	●	●	●
BuzziCone		●	○	○	○	●	○	○	○
BuzziCube	Flat	○	○	○	○	●	●	●	●
	3D	○	○	○	○	●	●	○	○
BuzziDee	Flat	○	○	○	○	●	●	●	●
	3D	○	○	○	○	●	●	●	●
BuzziDesk		●	○	○	○	●	●	●	●
BuzziDesk Cross		●	○	○	○	●	●	●	●
BuzziDesk FlipFlop		○	○	○	○	●	●	●	●
BuzziDesk Split		●	○	○	○	○	○	○	○
BuzziDish		○	○	○	○	●	●	●	●
BuzziDome		○	○	○	○	●	●	●	●

*Trevira CS and Trevira CS+ contain organophosphorus chemicals used as “covered flame retardant” above a level of 1000ppm. Therefore these fabrics can’t be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

**Revive 1 contains organophosphorus chemicals used as “covered flame retardant” above a level of 1000ppm. Therefore this fabric can’t be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

Find the latest update of the application overview on our website: www.buzzi.space

APPLICATION OVERVIEW

Felts, Fabrics & Leather

○ Not possible
● Possible
◉ Sliced BuzziFelt

Product		CAT B			CAT C	CAT D	CAT E
		Clara 2	Remix 3	Velvet	Hero	Tonus 4	Memory 2*
		92% New Wool worsted 8% Nylon	90% New Wool worsted 10% Nylon	100% polyester	96% New Wool 4% Nylon	90% New Wool 10% Helanca	100% Trevira CS
BuzziBack		●	●	●	●	●	●
BuzziBalance		●	●	●	●	●	●
BuzziBell		○	○	○	○	○	○
BuzziBlind Classic		●	●	●	●	●	●
BuzziBlind	No lines	●	●	●	●	●	●
	Lines	○	○	○	○	○	○
BuzziBlox		●	●	●	●	●	●
BuzziBoard		○	○	○	○	○	○
BuzziBooth	Single	○	○	○	○	○	●
	Standing	○	○	○	○	○	●
BuzziBooth Screen	Single	●	●	○	●	●	●
	Double	○	○	○	○	○	●
BuzziBooth Targa	H 120	●	●	○	●	●	●
	H 135	○	○	○	○	○	●
BuzziBounce		●	●	○	○	○	●
BuzziBox		○	○	○	○	○	○
BuzziBox Travel		○	○	○	○	○	○
BuzziBrickBack		○	○	○	○	○	○
BuzziBrickBack Architectural		○	○	○	○	○	○
BuzziCactus		●	●	○	●	●	●
BuzziCane		●	●	●	●	●	●
BuzziChandelier		○	○	○	○	○	○
BuzziClipse		●	●	●	●	●	●
BuzziCone		○	○	○	●	○	○
BuzziCube	Flat	●	●	●	●	●	●
	3D	○	○	○	○	○	●
BuzziDee	Flat	●	●	●	●	●	●
	3D	●	●	○	●	●	●
BuzziDesk		●	●	●	●	●	●
BuzziDesk Cross		●	●	●	●	●	●
BuzziDesk FlipFlop		●	●	●	●	●	●
BuzziDesk Split		○	○	○	○	○	○
BuzziDish		●	●	○	●	●	●
BuzziDome		●	●	○	●	●	●

* Memory 2 contains organophosphorus chemicals used as “covered flame retardant” above a level of 1000ppm. Therefore this fabric can’t be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

Find the latest update of the application overview on our website: www.buzzi.space

APPLICATION OVERVIEW

Felts, Fabrics & Leather

○ Not possible
● Possible
◉ Sliced BuzziFelt

Product			Felt	Felt Printed	Leather		CAT A			
					Vegetal	Vintage	Fabric	Trevira CS+*	Trevira CS*	Revive 1**
			100% Recycl P.E.T. Felt	100% Recycl P.E.T. Felt	100% Leather	100% Leather	75% Recycled Wool 25% Recycled Polyacryl	100% Trevira	100% Trevira	100% Recycl. polyester FR
BuzziDonut			○	○	○	○	●	●	●	●
BuzziFalls			●	●	○	○	○	○	○	○
BuzziFalls Standing			●	●	○	○	○	○	○	○
BuzziFloat			○	○	●	○	●	●	●	●
BuzziFree	H ≤ 120 cm	W ≤ 200 cm	●	○	○	○	●	●	●	●
	H ≤ 140 cm	W ≤ 120 cm	●	○	○	○	●	●	●	●
	H ≤ 140 cm	W ≤ 200 cm	●	○	○	○	●	●	○	○
	H ≤ 160 cm	W ≤ 120 cm	●	○	○	○	●	●	●	●
	H ≤ 160 cm	W ≤ 140 cm	●	○	○	○	●	●	○	○
	H ≤ 160 cm	W ≤ 180 cm	●	○	○	○	○	○	○	○
	H ≤ 180 cm	W ≤ 120 cm	●	○	○	○	●	●	●	●
	H ≤ 180 cm	W ≤ 140 cm	●	○	○	○	●	●	○	○
	H ≤ 180 cm	W ≤ 180 cm	●	○	○	○	○	○	○	○
BuzziFrio			●	○	○	○	●	●	●	●
BuzziFrontDesk			●	○	○	○	●	●	●	●
BuzziGrid			●	○	○	○	○	○	○	○
BuzziGrip			●	○	○	○	○	○	○	○
BuzziHat			○	○	○	○	●	●	●	●
BuzziHive			○	○	○	○	●	●	●	●
BuzziHood	Flat		○	○	○	○	●	●	●	●
	3D		○	○	○	○	●	●	●	●
BuzziHub	Hub		○	○	○	○	●	●	○	○
	Side		○	○	○	○	●	●	○	○
	Single		○	○	○	○	●	●	○	○
	Bench		○	○	○	○	●	●	●	●
	Cushion		○	○	○	○	●	●	●	●
	Armrest		○	○	○	○	●	●	●	●
BuzziHub Table	Acoustic layer		●	○	○	○	○	○	○	○
BuzziJet			○	○	○	○	●	●	●	●
BuzziJet Standing			○	○	○	○	●	●	●	●
BuzziKey Soft			○	○	○	○	●	●	●	●
BuzziLand	Oval / Round Flat		○	○	○	○	●	●	●	●
	Oval / Round 3D		○	○	○	○	●	●	●	●
BuzziLight Mono			●	○	○	○	○	○	○	○
BuzziLoose	Flat		●	○	○	○	●	●	●	●
	3D		○	○	○	○	●	●	●	●

*Trevira CS and Trevira CS+ contain organophosphorus chemicals used as “covered flame retardant” above a level of 1000ppm. Therefore these fabrics can’t be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

**Revive 1 contains organophosphorus chemicals used as “covered flame retardant” above a level of 1000ppm. Therefore this fabric can’t be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

Find the latest update of the application overview on our website: www.buzzi.space

APPLICATION OVERVIEW

Felts, Fabrics & Leather

○ Not possible
● Possible
◉ Sliced BuzziFelt

Product			CAT B			CAT C	CAT D	CAT E
			Clara 2	Remix 3	Velvet	Hero	Tonus 4	Memory 2*
			92% New Wool worsted 8% Nylon	90% New Wool worsted 10% Nylon	100% polyester	96% New Wool 4% Nylon	90% New Wool 10% Helanca	100% Trevira CS
BuzziDonut			●	●	○	●	●	●
BuzziFalls			○	○	○	○	○	○
BuzziFalls Standing			○	○	○	○	○	○
BuzziFloat			●	●	●	●	●	●
BuzziFree	H ≤ 120 cm	W ≤ 200 cm	●	●	●	●	●	●
	H ≤ 140 cm	W ≤ 120 cm	●	●	●	●	●	●
	H ≤ 140 cm	W ≤ 200 cm	○	○	○	○	○	●
	H ≤ 160 cm	W ≤ 120 cm	●	●	●	●	●	●
	H ≤ 160 cm	W ≤ 140 cm	○	○	○	○	○	●
	H ≤ 160 cm	W ≤ 180 cm	○	○	○	○	○	○
	H ≤ 180 cm	W ≤ 120 cm	●	●	●	●	●	●
	H ≤ 180 cm	W ≤ 140 cm	○	○	○	○	○	●
	H ≤ 180 cm	W ≤ 180 cm	○	○	○	○	○	○
BuzziFrio			●	●	●	●	●	●
BuzziFrontDesk			●	●	○	●	●	●
BuzziGrid			○	○	○	○	○	○
BuzziGrip			○	○	○	○	○	○
BuzziHat			●	●	●	●	●	●
BuzziHive			●	●	○	●	●	●
BuzziHood	Flat		●	●	○	●	●	●
	3D		●	●	○	●	●	●
BuzziHub	Hub		○	○	○	○	○	●
	Side		○	○	○	○	○	●
	Single		○	○	○	○	○	●
	Bench		●	●	○	●	●	●
	Cushion		●	●	○	●	●	●
	Armrest		●	●	○	●	●	●
BuzziHub Table	Acoustic layer		○	○	○	○	○	○
BuzziJet			●	●	○	●	●	●
BuzziJet Standing			●	●	○	●	●	●
BuzziKey Soft			●	●	●	●	●	●
BuzziLand	Oval / Round Flat		●	●	○	●	●	●
	Oval / Round 3D		●	●	○	●	●	●
BuzziLight Mono			○	○	○	○	○	○
BuzziLoose	Flat		●	●	○	●	●	●
	3D		●	●	○	●	●	●

* Memory 2 contains organophosphorus chemicals used as “covered flame retardant” above a level of 1000ppm. Therefore this fabric can’t be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

Find the latest update of the application overview on our website: www.buzzi.space

APPLICATION OVERVIEW

Felts, Fabrics & Leather

○ Not possible
● Possible
◉ Sliced BuzziFelt

Product		Felt	Felt Printed	Leather		CAT A			
				Vegetal	Vintage	Fabric	Trevira CS+*	Trevira CS*	Revive 1**
		100% Recycl P.E.T. Felt	100% Recycl P.E.T. Felt	100% Leather	100% Leather	75% Recycled Wool 25% Recycled Polyacryl	100% Trevira	100% Trevira	100% Recycl. polyester FR
BuzziMe		○	○	○	○	●	●	●	●
BuzziMilk		○	○	●	○	●	●	●	●
BuzziMood		○	○	○	○	●	●	●	●
BuzziMoon		○	○	○	○	●	●	●	●
BuzziNordic	ST101	○	○	●	○	●	●	●	●
	ST111	○	○	●	○	●	●	●	●
	ST102	○	○	●	○	●	●	●	●
	ST103	○	○	●	○	●	●	●	●
	ST101 Ottoman	○	○	●	○	●	●	●	●
	ST111 Ottoman	○	○	●	○	●	●	●	●
	ST101 Footstool	○	○	●	○	●	●	●	●
BuzziPicNic	Desk High Connect Panel	●	○	○	○	○	○	○	○
	Bench Cushion	○	○	○	○	●	●	●	●
BuzziPlant		○	○	○	○	●	●	●	●
BuzziPlanter		○	○	○	○	●	●	●	●
BuzziPleat		●	○	○	○	●	○	○	○
BuzziPleat Light		●	○	○	○	○	○	○	○
BuzziPouf	Flat	○	○	○	○	●	●	●	●
	3D	○	○	○	○	●	●	●	●
BuzziProp		○	○	○	○	●	●	●	●
BuzziPuzzle		○	○	○	○	●	●	●	●
BuzziRing		○	○	○	○	○	●	●	●
BuzziScreen		●	●	○	○	●	●	●	●
BuzziScreen Mix		●	●	○	○	●	●	●	●
BuzziShade	Pendant	●	○	○	○	●	○	○	○
	Standing	●	○	○	○	○	○	○	○
	Square	●	○	○	○	○	○	○	○
BuzziSkin		●	○	○	○	○	○	○	○
BuzziSkin Cuts		●	○	○	○	○	○	○	○
BuzziSkin Printed		●	○	○	○	○	○	○	○
BuzziSpark	Shields	○	○	○	○	●	●	●	○
	Cushions	○	○	●	○	●	●	●	●
BuzziSpot	Flat	○	○	○	○	●	●	●	●
	3D	○	○	○	○	●	●	●	●
BuzziTab Soft		○	○	○	○	●	●	●	●
BuzziTemp		○	○	○	○	●	●	●	●

*Trevira CS and Trevira CS+ contain organophosphorus chemicals used as “covered flame retardant” above a level of 1000ppm. Therefore these fabrics can’t be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

**Revive 1 contains organophosphorus chemicals used as “covered flame retardant” above a level of 1000ppm. Therefore this fabric can’t be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

Find the latest update of the application overview on our website: www.buzzi.space

APPLICATION OVERVIEW

Felts, Fabrics & Leather

○ Not possible
✓ Possible
◎ Sliced BuzziFelt

Product		CAT B			CAT C	CAT D	CAT E
		Clara 2	Remix 3	Velvet	Hero	Tonus 4	Memory 2*
		92% New Wool worsted 8% Nylon	90% New Wool worsted 10% Nylon	100% polyester	96% New Wool 4% Nylon	90% New Wool 10% Helanca	100% Trevira CS
BuzziMe		✓	✓	✓	✓	✓	✓
BuzziMilk		✓	✓	✓	✓	✓	✓
BuzziMood		✓	✓	○	✓	✓	✓
BuzziMoon		✓	✓	○	✓	✓	✓
BuzziNordic	ST101	✓	✓	✓	✓	✓	✓
	ST111	✓	✓	✓	✓	✓	✓
	ST102	✓	✓	✓	✓	✓	✓
	ST103	✓	✓	✓	✓	✓	✓
	ST101 Ottoman	✓	✓	✓	✓	✓	✓
	ST111 Ottoman	✓	✓	✓	✓	✓	✓
	ST101 Footstool	✓	✓	✓	✓	✓	✓
BuzziPicNic	Desk High Connect Panel	○	○	○	○	○	○
	Bench Cushion	✓	✓	✓	✓	✓	✓
BuzziPlant		✓	✓	○	✓	✓	✓
BuzziPlanter		✓	✓	○	✓	✓	✓
BuzziPleat		○	○	○	○	○	○
BuzziPleat Light		○	○	○	○	○	○
BuzziPouf	Flat	✓	✓	✓	✓	✓	✓
	3D	✓	✓	○	✓	✓	✓
BuzziProp		✓	✓	○	✓	✓	✓
BuzziPuzzle		✓	✓	✓	✓	✓	✓
BuzziRing		✓	○	○	✓	✓	✓
BuzziScreen		✓	✓	✓	✓	✓	✓
BuzziScreen Mix		✓	✓	✓	✓	✓	✓
BuzziShade	Pendant	○	○	○	✓	○	○
	Standing	○	○	○	○	○	○
	Square	○	○	○	○	○	○
BuzziSkin		○	○	○	○	○	○
BuzziSkin Cuts		○	○	○	○	○	○
BuzziSkin Printed		○	○	○	○	○	○
BuzziSpark	Shield	✓	○	✓	✓	✓	✓
	Cushions	✓	✓	✓	✓	✓	✓
BuzziSpot	Flat	✓	✓	✓	✓	✓	✓
	3D	✓	✓	○	✓	✓	✓
BuzziTab Soft		✓	✓	✓	✓	✓	✓
BuzziTemp		✓	✓	○	✓	✓	✓

* Memory 2 contains organophosphorus chemicals used as “covered flame retardant” above a level of 1000ppm. Therefore this fabric can’t be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

Find the latest update of the application overview on our website: www.buzzi.space

APPLICATION OVERVIEW

Felts, Fabrics & Leather

○ Not possible
✔ Possible
◎ Sliced BuzziFelt

Product		Felt	Felt Printed	Leather		CAT A			
				Vegetal	Vintage	Fabric	Trevira CS+*	Trevira CS*	Revive 1**
		100% Recycl P.E.T. Felt	100% Recycl P.E.T. Felt	100% Leather	100% Leather	75% Recycled Wool 25% Recycled Polyacryl	100% Trevira	100% Trevira	100% Recycl. polyester FR
BuzziTile	Flat	○	○	○	○	✔	✔	✔	✔
	3D	○	○	○	○	✔	✔	✔	✔
BuzziTotem		○	○	○	○	✔	✔	✔	✔
BuzziTripl Desk		✔	○	○	○	○	○	○	○
BuzziTripl Desk Split		✔	○	○	○	○	○	○	○
BuzziTripl Home		✔	○	○	○	○	○	○	○
BuzziTripl Wrap Desk		✔	○	○	○	○	○	○	○
BuzziTrom		✔	○	○	○	○	○	○	○
BuzziTwist		◎	○	○	○	○	○	○	○
BuzziVille	Panel H 120 cm	○	○	○	○	✔	✔	✔	✔
	Panel H 135 cm	○	○	○	○	✔	✔	○	○
	Panel H 150 cm	○	○	○	○	✔	✔	○	○
	Panel H 180 cm	○	○	○	○	✔	✔	○	○
	Bench	○	○	○	○	✔	✔	✔	○
	Booth / Booth Standing	○	○	○	○	✔	✔	○	○
	Hub	○	○	○	○	✔	✔	○	○
	Hub Open	○	○	○	○	✔	✔	○	○
	Split Panel	○	○	○	○	✔	✔	✔	✔
BuzziWings		✔	○	○	○	✔	✔	✔	✔
BuzziWrap Desk		✔	○	○	○	○	○	○	○
BuzziWrap FrontDesk		✔	○	○	○	○	○	○	○
BuzziZepp		○	○	○	○	✔	✔	✔	✔
BuzziZepp Light		○	○	○	○	✔	✔	✔	✔

*Trevira CS and Trevira CS+ contain organophosphorus chemicals used as “covered flame retardant” above a level of 1000ppm. Therefore these fabrics can’t be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

**Revive 1 contains organophosphorus chemicals used as “covered flame retardant” above a level of 1000ppm. Therefore this fabric can’t be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

Find the latest update of the application overview on our website: www.buzzi.space

APPLICATION OVERVIEW

Felts, Fabrics & Leather

○ Not possible
✓ Possible
◉ Sliced BuzziFelt

Product		CAT B			CAT C	CAT D	CAT E
		Clara 2	**Remix 3**	**Velvet**	**Hero**	**Tonus 4**	**Memory 2***
		92% New Wool worsted 8% Nylon	90% New Wool worsted 10% Nylon	100% polyester	96% New Wool 4% Nylon	90% New Wool 10% Helanca	100% Trevira CS
BuzziTile	Flat	✓	✓	○	✓	✓	✓
	3D	✓	✓	○	✓	✓	✓
BuzziTotem		✓	✓	✓	✓	✓	✓
BuzziTripl Desk		○	○	○	○	○	○
BuzziTripl Desk Split		○	○	○	○	○	○
BuzziTripl Home		○	○	○	○	○	○
BuzziTripl Wrap Desk		○	○	○	○	○	○
BuzziTrom		○	○	○	○	○	○
BuzziTwist		○	○	○	○	○	○
BuzziVille	Panel H 120 cm	✓	✓	○	○	○	○
	Panel H 135 cm	○	○	○	○	○	○
	Panel H 150 cm	○	○	○	○	○	○
	Panel H 180 cm	○	○	○	○	○	○
	Bench	○	○	○	○	○	○
	Booth / Booth Standing	○	○	○	○	○	○
	Hub	○	○	○	○	○	○
	Hub Open	○	○	○	○	○	○
	Split Panel	✓	✓	○	○	○	○
BuzziWings		✓	✓	✓	✓	✓	✓
BuzziWrap Desk		○	○	○	○	○	○
BuzziWrap FrontDesk		○	○	○	○	○	○
BuzziZepp		✓	✓	✓	✓	✓	✓
BuzziZepp Light		✓	✓	✓	✓	✓	✓

* Memory 2 contains organophosphorus chemicals used as “covered flame retardant” above a level of 1000ppm. Therefore this fabric can’t be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

Find the latest update of the application overview on our website: www.buzzi.space

BuzziFelt

Composition 100% Recycled P.E.T. Felt, latex backing
Weight 1.000 g/m² | 29.49 oz/yd²
Width 170 cm | 66.93″
Thickness 6 mm | 0.236″
Abrasion resistance >7.000 Martindale
Flammability EU: EN 13501.1 + A1/2009 Class B-s1,d0
USA: ASTM E84 Class A certified
Fastness to light EU: 6-7 | USA 5Vacuum clean regularly. Don't wash. Don't remove the BuzziFelt from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.

FE-Anthracite 68





FE-Jeans 75



FE-StoneGrey 67

FE-LightBlue 60

FE-Curry 61

FE-OffWhite 63

FE-Mokka 74



FE-EcoBrown 58

FE-Lime 64

FE-Pink 65

FE-Orange 66

FE-Red 59

Note color deviation may occur. Find the latest update of the material specifications and colors on our website: www.buzzi.space

Sliced BuzziFelt

Composition 100% Recycled P.E.T. Felt
Vacuum clean regularly. Don't wash. Don't remove the Sliced BuzziFelt from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.

Anthracite | Anthracite

Jeans | Jeans

StoneGrey | StoneGrey



LightBlue | LightBlue

Curry | Curry

OffWhite | OffWhite

Mokka | Mokka



EcoBrown | EcoBrown

Lime | Lime

Pink | Pink

Orange | Orange

Red | Red

Note color deviation may occur. Find the latest update of the material specifications and colors on our website: www.buzzi.space

FELT

BUZZIFELT

SLICED BUZZIFELT

BUZZIFELT PRINTED

Bicolor

OffWhite | Anthracite

OffWhite | Jeans

Offwhite | StoneGrey



OffWhite | Mokka



OffWhite | Curry

Offwhite | LightBlue

OffWhite | EcoBrown



OffWhite | Lime

OffWhite | Pink

OffWhite | Orange

OffWhite | Red

Note color deviation may occur. Find the latest update of the material specifications and colors on our website: www.buzzi.space

Multicolor



Grass

LightBlue
OffWhite
Lime



Savannah

LightBlue
EcoBrown
Orange



Colibri

LightBlue
StoneGrey
Pink



Toendra

LightBlue
StoneGrey
Lime

Tukan

LightBlue
Lime
StoneGrey
Red

EcoBrown
Orange
Pink

Anthracite
OffWhite
Curry



Zebra

Anthracite
StoneGrey
OffWhite

Jane

Anthracite
StoneGrey
OffWhite

White
Red
EcoBrown

Sigma

Anthracite
StoneGrey
OffWhite

White
Orange
EcoBrown

FELT

BUZZIFELT

SLICED BUZZIFELT

BUZZIFELT PRINTED

FELT

BUZZIFELT
SLICED BUZZIFELT
BUZZIFELT PRINTED

BuzziFelt Printed

Jungle

Composition 100% Recycled P.E.T. Felt, latex backing
Weight 1.000 g/m² | 29.49 oz/yd²
Width 170 cm | 66.93"
Thickness 6 mm | 0.236"
Abrasion resistance >7.000 Martindale
Flammability EU: EN 13501.1 + A1/2009 Class B-s1,d0
USA: ASTM E84 Class A certified
Fastness to light EU: 6-7 | USA 5
Maintenance Vacuum clean regularly. Don't wash. Don't remove the BuzziFelt from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.



Camo Amazon | Camo Desert | Camo Snow | Camo Taiga



Concrete | Green 1 | Green 2 | Marble Absynth

Marble Emperador

Fabric

FA-LightGrey
1000

Composition 75% Recycled Wool, 25% Recycled Polyacryl,
Weight 405 g/m² | 11.94 oz/yd²
Width 148 cm | 58.27"
Thickness 0,8 mm | 0.031 inch
Abrasion resistance 40.000 Martindale, 50.000 Wyzenbeek
Flammability EU: EN 1021.1/2006 | BS EN 1021.1/2006 (cigarette)
EN 1021.2/2006 | BS EN 1021.2/2006 (match)
USA: CAL TB 117 | ASTM E84 CLASS A
Fastness to light EU: 4 | USA: 4
Fastness to rubbing EU: Wet 3-4 | Dry 4-5
Fastness to crocking USA: Wet 5 | Dry 5
Maintenance Vacuum clean regularly. Don't wash. Don't remove the Fabric from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.



FA-Kiezel 7 | FA-Ivory 101 | FA-Naturel 1 | FA-Beige 1037 | FA-Dolphin 180 | FA-Shitake 124 | FA-DarkBrown 18 | FA-Bottle 61 | FA-Jade 42



FA-Rust 29 | FA-Taupe 1008 | FA-Mint 50 | FA-Azure 144 | FA-Olive 53 | FA-Army 14 | FA-Zwart 1003 | FA-Grass 59 | FA-Lila 39

FA-MidGrey 1001 | FA-Blue 45 | FA-Petrol 56 | FA-Purple 78 | FA-Aubergine 74 | FA-Prune 76 | FA-Fuchsia 77 | FA-Mustard 63 | FA-Autumn 33

FA-Violet 72 | FA-Navy 1007 | FA-Indigo 90 | FA-LightBlue 41 | FA-Aqua 143 | FA-OceanBlue 147 | FA-Pistache 52 | FA-Electric 16 | FA-Silver 57

FA-Yellow 24 | FA-Red 2011 | FA-Fire 139 | FA-Mandarin 129 | FA-Orange 2012 | FA-Pink 73 | FA-Camel 1056

CAT A

FABRIC
TREVIRA CS
TREVIRA CS⁺
REVIVE 1

Note color deviation may occur. Find the latest update of the material specifications and colors on our website: www.buzzi.space

CAT A

FABRIC

TREVIRA CS

TREVIRA CS+

REVIVE 1

Trevira CS



TRCS Blue Black 9603

Composition 100% Polyester, Trevira CS
Weight 420 g/m² | 12.39 oz/yd²
Width Trevira CS⁺ 150 cm | 59.06" - Trevira CS 140 cm | 55.12"
Abrasion resistance 100.000 Martindale, 90.000 Wyzenbeek
Flammability EU: BS 5852 part II: CRIB 5 | BS 7176 Medium Hazard
M1 | B1 | C1 | EN 1021/1-2 | IMO Res. A652 (16)
USA: CAL TB 117*
Fastness to light EU: 6 | USA: 5
Fastness to rubbing EU: Wet 4-5 | Dry 4-5
Fastness to crocking USA: Wet 5 | Dry 5
Match Weight ±5% | Width ±2%
Maintenance Vacuum clean regularly. Don't remove the Trevira CS⁺ | Trevira CS from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.



TRCS Mocca 1029
TRCS Berry 4017
TRCS Orange 4030
TRCS Hazy Orange 9404
TRCS Red 4027
TRCS Yellow 3008
TRCS Hazy Yellow 9309

TRCS Mustard 3019
TRCS Hazy Jade 9703
TRCS Jade 7020
TRCS Hazy Petrol 9602
TRCS Petrol 6014
TRCS Sand 9212
TRCS Hazy Clay 9217
TRCS Black 8033
TRCS Grey Black 9803
TRCS Fig 9503
TRCS Hazy Purple 9501
TRCS Hazy Blue 9601
TRCS Lavender 6006
TRCS Blue 6075

*Trevira CS and Trevira CS+ contain organophosphorus chemicals used as "covered flame retardant" above a level of 1000ppm. Therefore these fabrics can't be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

Note color deviation may occur. Find the latest update of the material specifications and colors on our website: www.buzzi.space

Trevira CS+



TRCS⁺ Hazy Mocca 9302

Composition 100% Polyester, Trevira CS
Weight 420 g/m² | 12.39 oz/yd²
Width Trevira CS⁺ 150 cm | 59.06" - Trevira CS 140 cm | 55.12"
Abrasion resistance 100.000 Martindale, 90.000 Wyzenbeek
Flammability EU: BS 5852 part II: CRIB 5 | BS 7176 Medium Hazard
M1 | B1 | C1 | EN 1021/1-2 | IMO Res. A652 (16)
USA: CAL TB 117*
Fastness to light EU: 6 | USA: 5
Fastness to rubbing EU: Wet 4-5 | Dry 4-5
Fastness to crocking USA: Wet 5 | Dry 5
Match Weight ±5% | Width ±2%
Maintenance Vacuum clean regularly. Don't remove the Trevira CS⁺ | Trevira CS from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.

TRCS⁺ Hazy Red 9405
TRCS⁺ Hazy Green 9704
TRCS⁺ Ocean 6091
TRCS⁺ Greige 1006
TRCS⁺ Grey 8009
TRCS⁺ Hazy Greige 9211
TRCS⁺ Clay 2006



TRCS⁺ Anthracite 9805
TRCS⁺ Indigo 6080
TRCS⁺ Champagne 9381
TRCS⁺ Taffy 9380
TRCS⁺ LightBlue 9681
TRCS⁺ SkyBlue 9683
TRCS⁺ IceBlue 9680
TRCS⁺ Olive 9770
TRCS⁺ Lime 9741
TRCS⁺ Ash 9882
TRCS⁺ Dolphin 9881
TRCS⁺ Charcoal 9880
TRCS⁺ Cloud 8001
TRCS⁺ White 9106
TRCS⁺ Hazy Pistache 9702
TRCS⁺ Hazy Grey 9107
TRCS⁺ Rock 9804

*Trevira CS and Trevira CS+ contain organophosphorus chemicals used as "covered flame retardant" above a level of 1000ppm. Therefore these fabrics can't be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

Note color deviation may occur. Find the latest update of the material specifications and colors on our website: www.buzzi.space

CAT A

FABRIC

TREVIRA CS

TREVIRA CS+

REVIVE 1

Revive 1

kvadrat



Revive 1
144

Composition 100% recycled polyester FR
Weight 430 g/lin.m
Width 140 cm | 55.11”
Abrasion resistance 60.000 Martindale rubs, EN ISO 12947
Flammability EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1
UNI 9175 1IM | US Cal. Tech. Bull. 117*
IMO A.652 (16)
Fastness to light Note 5-7, ISO 105-B02
Fastness to rubbing (ISO) dry 5, wet 4-5
Pilling Note 4-5, EN ISO 12945
Maintenance Vacuuming and dry cleaning.
Washable at max. 60ºC.
Drip drying.



Revive 1 154
Revive 1 164
Revive 1 184
Revive 1 194
Revive 1 224
Revive 1 274
Revive 1 284
Revive 1 324
Revive 1 384
Revive 1 414
Revive 1 424
Revive 1 434
Revive 1 454
Revive 1 524
Revive 1 534
Revive 1 634
Revive 1 664
Revive 1 754
Revive 1 764
Revive 1 774
Revive 1 834
Revive 1 914
Revive 1 944
Revive 1 974

*Revive 1 contains organophosphorus chemicals used as “covered flame retardant” above a level of 1000ppm. Therefore this fabric can’t be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

Note color deviation may occur. Find the latest update of the material specifications and colors on our website: www.buzzi.space

Clara 2

kvadrat



Clara 2
144

Composition 92% new wool, 8% nylon
Weight 400 g/lin.m
Width 138 cm | 54.33”
Abrasion resistance 80.000 Martindale rubs, EN ISO 12947
Flammability EN 1021-1/2 | BS 5852, ignition source 2–3 | DIN 4102 B2
NF D 60 013 | UNI 9175 1IM | US Cal. Tech. Bull. 117, Sec. E
NFPA 260 | IMO A.652(16)
Fastness to light Note 5-7, ISO 105-B02
Fastness to rubbing (ISO) dry 4-5, wet 4
Pilling Note 4, EN ISO 12945
Maintenance Vacuuming and dry cleaning



Clara 2 148
Clara 2 184
Clara 2 188
Clara 2 244
Clara 2 248
Clara 2 273
Clara 2 277
Clara 2 384
Clara 2 388
Clara 2 423
Clara 2 427
Clara 2 544
Clara 2 548
Clara 2 643
Clara 2 647
Clara 2 793
Clara 2 797
Clara 2 884
Clara 2 888
Clara 2 933
Clara 2 937
Clara 2 983
Clara 2 987

Note color deviation may occur. Find the latest update of the material specifications and colors on our website: www.buzzi.space

CAT B

CLARA 2

REMIX 3

VELVET

CAT B

CLARA 2

REMIX 3

VELVET

Remix 3

kvadrat

Remix 3
113

Composition 90% new wool, 10% nylon
Weight 415 g/lin.m
Width 138 cm | 54.33”
Abrasion resistance 100.000 Martindale rubs, EN ISO 12947
Flammability EN 1021-1/2 | BS 5852 part 1
Önorm B1/Q1 | NF D 60 013 | UNI 9175, 1IM
AS/NZS 1530.3 | Cal. Tech. Bull. 117-2013
NFPA 260 | IMO FTP Code 2010:Part 8
Fastness to light Note 5-7, ISO 105-B02
Fastness to rubbing (ISO) dry 4-5, wet 4
Pilling Note 4, EN ISO 12945
Maintenance Vacuuming and dry cleaning

Remix 3
123 126 133 136 152 163 173

Remix 3
183 196 223 233 242 252 266

Remix 3
276 286 296 326 346 356 362

Remix 3
373 383 406 412 422 433 443

Remix 3
452 516 536 543 566 606 632

Remix 3
612 632 643 653 662 672 682

Remix 3
686 692 716 722 733 743 753

Remix 3
762 773 783 796 816 823 836



Remix 3
842 852 866 873 906 912 923

Remix 3
933 942 954 962 973 982 996

Note color deviation may occur. Find the latest update of the material specifications and colors on our website: www.buzzi.space

CAT B

CLARA 2

REMIX 3

VELVET

CAT B

CLARA 2

REMIX 3

VELVET

Velvet

VE-Gold
401

Composition 100% PES
Weight 375 g/m² | 11.06 oz/yd²
Width 140 cm | 55.12″
Thickness 0,7mm | 0.0275″
Abrasion resistance >100.000 Martindale
Flammability USA: CAL TB 117
Fastness to light EU: 4-5
Fastness to rubbing EU: Wet 4 | Dry 4-5
Pilling EU: 4-5
Match Weight ±5% | Width ±2%
Maintenance Vacuum clean regularly. Don't wash. Don't remove the Velvet from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.



VE-Burgundy 201
VE-Blush 704
VE-Pearl 902
VE-Emperador 106
VE-Amber 300
VE-Peacock 600
VE-Botanic 501



VE-Crocodile 502
VE-Scarab 505
VE-Sky 601
VE-Prussian 606

Hero

kvadrat

Hero
101

Composition 96% new wool, 4% nylon
Weight 580 g/lin.m
Width 140 cm | 55.11″
Abrasion resistance 45.000 Martindale rubs, EN ISO 12947
Flammability EN 1021-1/2 | DIN 4102 B2 | NF D 60 013
UNI 9175 1IM | US Cal. Bull. 117-2013 | NFPA 260
IMO A.652 (16)
Fastness to light Note 5-6, ISO 105-B02
Fastness to rubbing (ISO) dry 4-5, wet 4-5
Pilling Note 3-4, EN ISO 12945
Maintenance Vacuuming and dry cleaning.
Washable at max. 30ºC, wool programme. Drip drying.
Mount covers in slightly wet condition



Hero 141
Hero 151
Hero 181
Hero 191
Hero 201
Hero 211
Hero 231

Hero 311
Hero 381
Hero 411
Hero 441
Hero 451
Hero 481
Hero 511

Hero 541
Hero 551
Hero 601
Hero 681
Hero 701
Hero 711
Hero 751



Hero 791
Hero 901
Hero 931
Hero 941
Hero 981
Hero 991

CAT C

HERO

Note color deviation may occur. Find the latest update of the material specifications and colors on our website: www.buzzi.space

Note color deviation may occur. Find the latest update of the material specifications and colors on our website: www.buzzi.space

CAT D

TONUS 4

Tonus 4

kvadrat

Tonus 4
100

Composition 90% new wool, 10% Helanca
Weight 665 g/lin.m
Width 140 cm | 55.11”
Abrasion resistance 100.000 Martindale rubs, EN ISO 12947
Flammability EN 1021-1/2 | BS 5852 part 1 | DIN 4102 B2
Önorm B1/Q1 | NF D 60 013 | UNI 9175 1IM
US Cal. Bull. 117-2013 | NFPA 260 | IMO A.652 (16)
Fastness to light Note 5-7, ISO 105-B02
Fastness to rubbing (ISO) dry 3-5, wet 3-5
Pilling Note 3, EN ISO 12945
Maintenance Vacuuming and dry cleaning



Tonus 4 118 | Tonus 4 125 | Tonus 4 128 | Tonus 4 129 | Tonus 4 130 | Tonus 4 131 | Tonus 4 132 | Tonus 4 613



Tonus 4 135 | Tonus 4 207 | Tonus 4 210 | Tonus 4 216 | Tonus 4 224 | Tonus 4 240 | Tonus 4 244 | Tonus 4 615

Tonus 4 364 | Tonus 4 374 | Tonus 4 394 | Tonus 4 424 | Tonus 4 440 | Tonus 4 454 | Tonus 4 464 | Tonus 4 619



Tonus 4 474 | Tonus 4 508 | Tonus 4 554 | Tonus 4 605 | Tonus 4 608 | Tonus 4 609 | Tonus 4 610 | Tonus 4 631



Tonus 4 634 | Tonus 4 636 | Tonus 4 654 | Tonus 4 664 | Tonus 4 684 | Tonus 4 690 | Tonus 4 754 | Tonus 4 764



Tonus 4 854 | Tonus 4 914 | Tonus 4 934 | Tonus 4 954 | Tonus 4 964 | Tonus 4 974

Note color deviation may occur. Find the latest update of the material specifications and colors on our website: www.buzzi.space

CAT E

MEMORY 2

Memory 2

kvadrat

Memory
116

Composition 100% Trevira CS
Weight 700 g/lin.m
Width 150 cm | 59.05”
Abrasion resistance
35.000 rubs acc. to the Martindale method, EN ISO 12947
Flammability EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1
NF D 60 013 | NF P 92 507 M1 | UNI 9175 1IM
UNI 9177 classe 1 | US Cal. Tech. Bull. 117*
IMO A.652 (16)
Fastness to light Note 5-8, ISO 105-B02
Fastness to rubbing (ISO) dry 4-5, wet 4-5
Pilling Note 4, EN ISO 12945
Maintenance Vacuuming and dry cleaning.
Washable at max. 60ºC.
Drip drying.



Memory 123 | Memory 143 | Memory 156 | Memory 176 | Memory 193 | Memory 213 | Memory 223

Memory 236 | Memory 256 | Memory 453 | Memory 473 | Memory 613 | Memory 653 | Memory 673



Memory 713 | Memory 793 | Memory 936 | Memory 953 | Memory 976

* Memory 2 contains organophosphorus chemicals used as “covered flame retardant” above a level of 1000ppm. Therefore this fabric can’t be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

Note color deviation may occur. Find the latest update of the material specifications and colors on our website: www.buzzi.space

LEATHER

VEGETAL

VINTAGE

Vegetal

VG-Black
98

VG-Cognac
91

Raw material Scandinavian Bullhides
Thickness 1,2 - 1,4 mm | 0.047 - 0.055 inch
Surface Pure Aniline
Flammability EU: EN 1021.1 - BS 5852 PART 1 (cigarette)
EN 1021.2 - BS 5852 PART 1 (match)
USA: CAL TB 117
Fastness to light EU: 3 Blue Scale (72h exposition)
Fastness to rubbing EU: Wet: 20 cycles/3 | Dry: 50 cycles/3
Sweat: 20 cycles/3
Strength Tear resistance: >20N or 10N/mm thickness
Tensile: >20N/mmq
Elongation: 40-70%
Match Normal life markings (scars, wrinkles, scratches) certify the authenticity of the leather.Dust with a soft cloth regularly. Don't expose to direct sunlight. Be careful with sharp objects. Spills should be blotted with a soft absorbent cloth. Don't rub. Never use detergents, shoepolish, alkalized products.

Vintage

VN-Brown
63009

Raw material European New Zealand Bullhides
Thickness 1,0 - 1,2 mm | 0.039 - 0.047 inch
Surface Pure Aniline
Flammability EU: EN 1021.1 - BS 5852 PART 1 (cigarette)
EN 1021.2 - BS 5852 PART 1 (match)
Fastness to light EU: 3 Blue Scale (72h exposition)
Fastness to rubbing EU: Wet 20 cycles/4 | Dry 100 cycles/4
Sweat 20 cycles/4
Strength Tear resistance: >20N or 10N/mm thickness
Tensile: >20N/mmq
Elongation: 40-70%
Match Normal life markings (scars, wrinkles, scratches) certify the authenticity of the leather.Dust with a soft cloth regularly. Don't expose to direct sunlight. Be careful with sharp objects. Spills should be blotted with a soft absorbent cloth. Don't rub. Never use detergents, shoepolish, alkalized products.



VN-Black
6842

VN-Grey
6855

VN-Beige
6691

VN-Terracotta
6229

Note color deviation may occur.
Find the latest update of the material specifications and colors on our website: www.buzzi.space

CURTAINS
FABRICS

352 **Curtain A**
352 Frost

353 - 354 **Curtain B**
353 Daybreak 2
354 Velvet

355 - 356 **Curtain C**
355 Dawn 2
356 Zulu 2

357 - 358 **Curtain D**
357 Drops
358 Mi Casa

359 **Curtain E**
359 Ace

360 - 361 **Curtain F**
360 Bonus
361 Drops Acoustic

CUR A

FROST

Frost

kvadrat

Frost
106

Composition 50% polyester FR, 50% polyester
Weight App. 150 g/lin.m
Flammability EN 13 773 class 1|BS 5867 part 2 type B|DIN 4102 B1|SN 198 898 5.2|NF D 92 507 M1|UNI 9177 classe1|NFPA 701|AS/NZS 1530.3|IMO A.471 (XII)
Fastness to light Note 5-7, ISO 105-B02
Maintenance Washable at max. 60°C. Drip drying
Ironing will be necessary

Frost 116 · Frost 126 · Frost 136 · Frost 166 · Frost 216 · Frost 306 · Frost 436



Frost 496 · Frost 706 · Frost 726 · Frost 926

Daybreak 2

kvadrat

Daybreak 2
101

Composition 100% polyester FR
Weight App. 270 g/lin.m
Flammability EN 13 773 class 1|BS 5867 part 2 type B|DIN 4102 B1|SN 198 898 5.2|NF D 92 507 M1|UNI 9177 classe 1|AS/NZS 1530.3|IMO A.471 (XII)
Fastness to light Note 5-7, ISO 105-B02
Maintenance Washable at max. 60°C. Drip drying
Ironing will be necessary

Daybreak 2 121 · Daybreak 2 141 · Daybreak 2 152 · Daybreak 2 172 · Daybreak 2 181 · Daybreak 2 201 · Daybreak 2 212



Daybreak 2 221 · Daybreak 2 241 · Daybreak 2 301 · Daybreak 2 352 · Daybreak 2 402 · Daybreak 2 452 · Daybreak 2 521



Daybreak 2 542 · Daybreak 2 722 · Daybreak 2 742 · Daybreak 2 772 · Daybreak 2 902 · Daybreak 2 942 · Daybreak 2 972

CUR B

DAYBREAK 2

VELVET

CUR B

DAYBREAK 2

VELVET

Velvet

VE-Gold
01

Composition 100% PES
Weight 375 g/m² | 11.06 oz/yd²
Width 140 cm | 55.12″
Thickness 0,7mm | 0.0275″
Abrasion resistance >100.000 Martindale
Flammability USA: CAL TB 117
Fastness to light EU: 4-5
Fastness to rubbing EU: Wet 4 | Dry 4-5
Pilling EU: 4-5
Match Weight ±5% | Width ±2%
Maintenance Washable at max. 40°C. Drip drying.

VE-Burgundy 201
VE-Blush 704
VE-Pearl 902
VE-Emperador 106
VE-Amber 300
VE-Peacock 600
VE-Botanic 501
VE-Crocodile 502
VE-Scarab 505
VE-Sky 601
VE-Prussian 606

CUR C

DAWN 2

ZULU 2

Dawn 2



Dawn 2
102

Composition 100% polyester FR
Weight App. 780 g/lin.m
Flammability EN 13 773 class 1|EN 13501, B-s1, d0|BS 5867 part 2 type B|DIN 4102 B1|SN 198 898 5.2|NF D 92 507 M1|UNI 9177 classe 1
Fastness to light Note 5-7, ISO 105-B02
Maintenance Washable at max. 60°C. Half wash load. Drip drying. Ironing might be necessary when washed at 60°C.



Dawn 2 152
Dawn 2 182
Dawn 2 192
Dawn 2 202
Dawn 2 232
Dawn 2 332
Dawn 2 382
Dawn 2 432
Dawn 2 482
Dawn 2 602
Dawn 2 652
Dawn 2 682
Dawn 2 752
Dawn 2 792
Dawn 2 902
Dawn 2 992

CUR C

DAWN 2

ZULU 2

Zulu 2

kvadrat

Zulu 2
104

Composition 100 % Trevira CS
Weight App. 300 g/lin.m
Flammability EN 13 773 class 1|BS 5867 part 2|DIN 4102 B1|NF P 92 507 M1|UNI 9177 classe 1|IMO FTP Code 2010:Part 7
Fastness to light Note 7, ISO 105-B02
Maintenance Wash at 40°C. Dripdrying

Zulu 2 134 | Zulu 2 154 | Zulu 2 174 | Zulu 2 194 | Zulu 2 202 | Zulu 2 234 | Zulu 2 452

Zulu 2 472 | Zulu 2 602 | Zulu 2 654 | Zulu 2 662 | Zulu 2 672 | Zulu 2 732 | Zulu 2 772

Zulu 2 792 | Zulu 2 902 | Zulu 2 992

Drops

kvadrat



Drops
122

Composition 100 % Trevira CS
Weight App. 225 g/lin.m
Flammability EN 13 773 class 1|BS 5867 part 2 type B|DIN 4102 B1|NF D 92 507 M1|UNI 9177 classe 1|FAR 25.853|IMO FTP Code 2010:Part 7
Fastness to light Note 6-7, ISO 105-B02
Maintenance Washable at max. 60°C. Dripdrying.

Drops 162 | Drops 362 | Drops 392 | Drops 462 | Drops 662 | Drops 762 | Drops 962

CUR D

DROPS

MI CASA

CUR D

DROPS

MI CASA

Mi Casa

kvadrat

Mi Casa
111

Composition 100% Trevira CS
Weight App. 600 g/lin.m
Flammability EN 13 773 class 1|BS 5867 part 2 type B|DIN 4102 B1 |SN 198 898 5.2|NF D 92 507 M1|UNI 9177 classe 1 |IMO FTP Code 2010:Part 7
Fastness to light Note 5-7, ISO 105-B02
Maintenance Washable at max. 60°C. Half wash load. Drip drying. Ironing might be necessary when washed at 60°C.



Mi Casa 131 · Mi Casa 141 · Mi Casa 421 · Mi Casa 431 · Mi Casa 631 · Mi Casa 691 · Mi Casa 731

Mi Casa 761 · Mi Casa 811

Ace

kvadrat

Ace
102

Composition 100% recycled polyester FR
Weight App. 660/lin.m
Flammability BS 5867 part 2 type B|DIN 4102 B1|UNI 9177 classe 1 |IMO FTP Code 2010:Part 7
Fastness to light Note 6-7, ISO 105-B02
Maintenance Washable at max. 60°C. Half wash load. Drip drying. Ironing might be necessary when washed at 60°C.



Ace 112 · Ace 122 · Ace 182 · Ace 202 · Ace 242 · Ace 442 · Ace 612

Ace 682 · Ace 772

CUR E

ACE

CUR F

BONUS

DROPS ACOUSTIC

Bonus

kvadrat

Bonus
1

Composition 100% wool
Weight 385 g/lin.m
Fastness to light 5 (ISO 1-8)
Maintenance Washable on hand wash cycle



Bonus
2

Bonus
6

Bonus
11

Bonus
23

Bonus
25

Drops Acoustic

kvadrat

Drops Acoustic
107

Composition 100% Trevira CS
Weight App. 315 g/lin.m
Flammability BS 5867 part 2 type B|DIN 4102 B1|EN 13773 Class 1 |IMO FTP Code 2010:Part 7|NF P 92 507 M1|SN 198 898 5.2|UNI 9177 classe 1
Fastness to light Note 7 ISO 105-B02
Maintenance Washable at max. 60°C. Drip drying.



Drops Acoustic
177

Drops Acoustic
197

Drops Acoustic
227

Drops Acoustic
407

Drops Acoustic
427

Drops Acoustic
577

Drops Acoustic
727



Drops Acoustic
797

Drops Acoustic
837

CUR F
BONUS
DROPS ACOUSTIC

SOLID MATERIALS

364 - 365 Application overview wood

366 - 367 Application overview metal

368 - 370 Wood
368 Ash Black Stained
368 Ash White Wash
368 Oak
368 Walnut
368 Ash Natural
368 Ash Walnut Stained
369 Cumaru
369 Iroko
369 Antwerp Oak
369 Ash Lacuered
369 HPL
370 White Laminate
370 Melamine

371 Metal
371 Powder Coated Metal
371 Uncoated Aluminum
371 Galvanized Metal

APPLICATION OVERVIEW WOOD

Solid Materials

○ Not possible
● Possible

Product		Cumaru	Iroko	Antwerp Oak	Oak	Walnut	Ash Natural	Ash Walnut Stained	Ash Black Stained	Ash White Wash	Ash Lacquered	HPL	White Laminate	Melamine
BuzziBalance		○	○	○	○	○	●	○	○	○	○	○	○	○
BuzziBooth Single	Worktop	○	○	●	○	○	○	○	○	○	○	○	●	○
BuzziBooth Standing	Worktop	○	○	●	○	○	○	○	○	○	○	○	●	○
BuzziBooth Side by Side	Worktop	○	○	●	○	○	○	○	○	○	○	○	●	○
BuzziBreeze	Base	○	○	○	○	○	○	○	○	○	○	○	○	○
	Worktop & Seats	○	●	○	●	○	○	○	○	○	○	○	○	○
BuzziBracks	Worktop & Shelves	○	○	●	○	○	○	○	○	○	○	○	●	○
BuzziFloat		○	○	○	○	○	○	○	●	●	○	○	○	○
BuzziHood	Tablet	○	○	○	●	○	○	○	○	○	○	○	○	○
BuzziMilk		○	○	○	●	●	●	○	●	●	●	○	○	○
BuzziMilk Table		○	○	○	●	●	●	○	●	●	○	○	○	○
BuzziMirage	L	○	○	○	○	○	○	○	●	●	○	○	○	○
BuzziNordic ST100	ST101	○	○	○	●	●	●	○	●	●	●	○	○	○
	ST101 Ottoman	○	○	○	●	●	●	○	●	●	○	○	○	○
	ST101 Foodstool	○	○	○	●	●	●	○	●	●	○	○	○	○
	ST102	○	○	○	●	●	●	○	●	●	●	○	○	○
	ST103	○	○	○	●	●	●	○	●	●	●	○	○	○
	ST111	○	○	○	●	●	●	○	●	●	○	○	○	○
	ST111 Ottoman	○	○	○	●	●	●	○	●	●	○	○	○	○
BuzziNordic ST400		○	○	○	○	●	○	○	●	○	○	○	○	○
BuzziNordic ST900		●	○	○	○	○	○	○	○	○	○	○	○	○
BuzziPicNic		○	○	○	●	○	●	●	●	●	●	●	○	○
BuzziPicNic Round		○	○	○	●	○	●	●	●	●	○	○	○	○
BuzziPlank		○	○	○	○	○	●	●	●	●	○	○	○	○
BuzziRing	Worktop	○	○	○	○	○	●	●	●	●	○	○	○	●
BuzziTemp	Worktop	○	○	●	○	○	○	○	○	○	○	○	○	○
BuzziVille	Worktops	○	○	●	○	○	○	○	○	○	○	○	●	○
	Tablet	○	○	●	○	○	○	○	○	○	○	○	●	○

Find the latest update of the application overview on our website: www.buzzi.space

APPLICATION OVERVIEW METAL

Solid Materials

○ Not possible
● Possible

Product		Powder Coated Metal													Galvanized Steel	Uncoated Aluminum	Brass
		Black RAL 9005	Alu RAL 9006	White RAL 9010	Umbra Grey RAL 7022	Fluo Orange RAL 2005	Fluo Yellow RAL 1016	Beige Red RAL 3012	Gold	Signal grey RAL 7004	Black Green RAL 6012	Pastel Blue RAL 5024	Pastel Green RAL 6019	Light Green RAL 6027			
BuzziBell	Frame	●	○	●	○	○	●	○	○	○	○	○	○	○	○	○	○
BuzziBlinds	Baseplate	●	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziBreeze	Base	●	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○
	Worktop & Seats	●	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziBracks	Frames	●	○	○	○	○	○	●	○	●	●	●	●	●	○	○	○
BuzziCactus	Baseplate	●	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziChandelier	Frame	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziFix		●	●	●	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziFalls	Profile	●	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziFalls Standing	Profile	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziFree	Baseplate	●	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziFrio	Baseplate	●	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziFrontDesk	Fix	●	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziHat	Shade & Ring	●	○	●	○	○	○	●	●	○	○	○	○	○	○	○	○
BuzziHive	Frame	○	○	○	●	○	○	○	○	○	○	○	○	○	○	○	○
BuzziHood	Tablet	●	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziHub Table		●	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziJet	Frame	○	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziJungle		○	○	○	○	○	●	○	○	○	○	○	○	○	○	○	○
BuzziLight Mono	Frame	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziMe	Tablet	○	○	○	●	○	○	○	○	○	○	○	○	○	○	○	○
	Foot	○	○	○	●	○	○	○	○	○	○	○	○	○	○	○	○
BuzziMirage	M	●	○	○	○	○	○	●	○	●	●	○	○	○	○	○	○
BuzziMood	Frame	●	○	○	○	○	●	○	○	○	○	○	○	○	○	○	○
BuzziNordic ST400	Connection part	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	●
BuzziPlant	Baseplate	●	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziProp	Frame	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzzRing	xxx	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziScreen	Foot	●	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○

Find the latest update of the application overview on our website: www.buzzi.space

APPLICATION OVERVIEW METAL

Solid Materials

○ Not possible
✓ Possible

Product		Powder Coated Metal													Galvanized Steel	Uncoated Aluminum	Brass
		Black RAL 9005	Alu RAL 9006	White RAL 9010	Umbra Grey RAL 7022	Fluo Orange RAL 2005	Fluo Yellow RAL 1016	Beige Red RAL 3012	Gold	Signal grey RAL 7004	Black Green RAL 6012	Pastel Blue RAL 5024	Pastel Green RAL 6019	Light Green RAL 6027			
BuzziShade Pendant	Frame	✓	○	✓	○	✓	○	○	○	○	○	○	○	○	○	✓	○
BuzziShade Standing	Frame	✓	○	✓	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziShed	Frame	○	○	○	○	○	○	○	○	○	○	○	○	○	✓	○	○
BuzziSpark	Frame	✓	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziTemp	Frame	○	○	○	✓	○	○	○	○	○	○	○	○	○	○	○	○
BuzziTotem	Baseplate	✓	○	✓	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziTripl Desk		○	○	✓	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziTripl Desk Split		○	○	✓	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziTripl Wrap Desk		✓	○	✓	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziTrom		✓	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
BuzziZepp Light	LED Line	✓	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○

Find the latest update of the application overview on our website: www.buzzi.space

WOOD

IROKO
ANTWERP OAK
OAK
WALNUT
ASH NATURAL
ASH WALNUT STAINED
ASH BLACK STAINED
ASH WHITE WASH
ASH LACQUERED
HPL
WHITE LAMINATE

Ash Black Stained

Properties Black clear coating with a matt look, consisting of a durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.
Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.

Ash White Wash

Properties Oil based coating with white pigments consisting of durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.
Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.

Oak

Properties Clear coating with a matt varnish look, consisting of a durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.
Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.

Walnut

Properties Clear coating with a matt varnish look, consisting of a durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.
Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.

Ash Natural

Properties Clear coating with a matt varnish look, consisting of a durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.
Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.

Ash Walnut Stained

Properties Oil based coating with walnut colored pigments consisting of durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.
Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.

Note color deviation may occur. Find the latest update of the material specifications and colors on our website: www.buzzi.space
Refinishing In the event that scratching or marring has occurred we recommend that refinishing be carried out by a professional furniture refinishing company.

Cumaru

Properties Tropical hardwood which is more resistant to weather influences. No oil or varnish is applied. In normal use, wood will turn grey over time.
Maintenance Aftermarket teak cleaning product can be used for yearly maintenance to freshen up the wood after winter. Do not use any abrasive cleaning product or scourers as this can damage the wood. Cumaru wood is naturally durable but may be prune to movement and cracking in outdoor environments.

Iroko

Properties Tropical hardwood which is more resistant to weather influences. Oil based coating with white pigments consisting of durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.
Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface. Note: Iroko wood is naturally durable but may be prone to movement and cracking in outdoor environments.

Antwerp Oak

Properties Oak Solid wood with a subtle rustic look, allowing some pith and small cracks. Oil based coating with white pigments consisting of durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.
Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.

Ash Lacquered

Blue
PANTONE 299 C

Green
PANTONE 370 C

Red
PANTONE 185 C

Yellow
PANTONE 115 C

White
PANTONE 000 C

Properties Lacquered coating with matt look, leaving a visual woodgrain.
Maintenance First clear the surface with a dry cloth, then clean with a slightly damp cloth. Do not use abrasive cleaning products nor scourers, they can damage the surface.

HPL



Volcanic Black
Duropal U 12000 VV

Truffle Grey
Duropal U 16000 VV

Pearl
Duropal U 11026 VV

WOOD

IROKO
ANTWERP OAK
OAK
WALNUT
ASH NATURAL
ASH WALNUT STAINED
ASH BLACK STAINED
ASH WHITE WASH
ASH LACQUERED
HPL
WHITE LAMINATE

WOOD

IROKO
ANTWERP OAK
OAK
WALNUT
ASH NATURAL
ASH WALNUT STAINED
ASH BLACK STAINED
ASH WHITE WASH
ASH LACQUERED
HPL
WHITE LAMINATE

White Laminate



Properties HPL top layer with plywood core and straight oiled visible plywood edge
Maintenance Depending on the stains/dirt there are different prescriptions:
LIGHT: dry or damp paper towels, a cloth or sponge.
NORMAL: with a cloth or soft nylon brush and washing powder, soft soap, toilet soap or washing-up liquid. If necessary, leave for a while and then rinse thoroughly with clean water.
HEAVY: Discoloration stains through long exposure to tea, coffee, etc. use washing powder and household bleach (but do not repeat too often). For stains such as lead pencil, felt-tip pens, marker and ball-point pens use an organic solvent for example acetone (nail varnish remover).

Note color deviation may occur.
Find the latest update of the material specifications and colors on our website: www.buzzi.space
Refinishing Renovation should be done by a specialist in furniture coating. It requires sanding of the parts and re-applying an equal amount of coating on all sides.

METAL

POWDER COATED METAL
UNCOATED ALUMINUM
GALVANIZED METAL

Powder Coated Metal

Black
RAL 9005

Alu
RAL 9006

White
RAL 9010

Gold

Fluo Yellow
RAL 1016

Fluo Orange
RAL 2005



Beige Red
RAL 3012



Pastel Blue
RAL 5024

Black Green
RAL 6012



Pastel Green
RAL 6019

Light Green
RAL 6027

Signal Grey
RAL 7004

Umbra Grey
RAL 7022

Properties Fine-textured powder coated steel or aluminum with a matt look.
Maintenance Clean as needed using a soft cloth or brush with a mild detergent. Avoid steam cleaning, abrasive cleansers, carbon steel brushes/wools and cleaners containing chlorine.

Uncoated Aluminum

Properties Bare aluminum with clear coating.
Maintenance Clean as needed using a soft cloth or brush with a mild detergent. Avoid steam cleaning, abrasive cleansers, carbon steel brushes/wools and cleaners containing chlorine.

Galvanized Steel



Properties Hot-Dip Galvanization > applying a protective coating layer to prevent corrosion of the metal part.
Maintenance Clean as needed using a soft cloth or brush with a mild detergent. Avoid steam cleaning, abrasive cleansers, carbon steel brushes/wools and cleaners containing chlorine.

Note color deviation may occur.
Find the latest update of the material specifications and colors on our website: www.buzzi.space
Refinishing Renovation should be done by a specialist in furniture coating. It requires sanding of the parts and re-applying an equal amount of coating on all sides.

NO BOUNDARIES

BuzziSpace
Catalog 2020-2021

NO BOUNDARIES